



Building  
something  
great

# Environmental Monitoring Report

Air/Dust Monitoring

---

## Dunmore Lakes Sand Project

January 2025



This monitoring report is to satisfy the requirements of Section 66 (6) of the Protection of the Environment and Operations Act 1997, to make available, within 14 days of request, any monitoring data that relates to pollution under an Environment Protection Licence.

The monitoring of pollutants provided in this report is undertaken as per the requirements of Environment Protection Licence 11147 (EPL 11147 – Boral Dunmore Lakes Sand Project)

This report provides environmental monitoring data for Dunmore Lakes Sand Project for the period of January 2021 to January 2025.

Dunmore Lakes Sand Project Information	
Premise Details	Boral – Dunmore Lakes Sand Project
Address	Princes Highway, Dunmore NSW, 2529
Licensee	Boral Resources (NSW) PTY LTD
EPL N°	11147
EPL Location	<a href="http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33270&amp;SYSUID=1&amp;LICID=11147">http://www.epa.nsw.gov.au/prpoeoapp/ViewPOEOLicence.aspx?DOCID=33270&amp;SYSUID=1&amp;LICID=11147</a>

Monitoring data in this report relates to the monitoring undertaken for Deposited Dust.



**Building something great**

**Air Quality**

Air Quality Monitoring is conducted as per condition M2.2 of EPL 11147. The air quality results for the reporting period are tabled below.

Deposited Dust (g/m<sup>2</sup>/month) results for the reporting period.

Sample Period: January 2025  
 Date received: 05/03/2025  
 Licensee: Dunmore Lakes Sand Project  
 Licensee Address: Princes Hwy, Dunmore NSW 2529  
 EPL No: 11147

**Qualifications related to Dust**

Air Emissions Monitoring - Dust Deposition Gauge

**Results**

Location	Monitoring Frequency	Pollutant	Measurement	Unit
Monitoring Point 2 (DD2)	January 2025 Monthly (Received 05/03/2025)	Ash	1.22	g/m <sup>2</sup> /month
		Combustible Solids	0.68	g/m <sup>2</sup> /month
		Insoluble Solids	1.90	g/m <sup>2</sup> /month
Monitoring Point 4 (DD5)		Ash	3.56	g/m <sup>2</sup> /month
		Combustible Solids	6.98	g/m <sup>2</sup> /month
		Insoluble Solids	10.54	g/m <sup>2</sup> /month
Monitoring Point 7 (DD10)		Ash	1.32	g/m <sup>2</sup> /month
		Combustible Solids	0.48	g/m <sup>2</sup> /month
		Insoluble Solids	1.80	g/m <sup>2</sup> /month
Monitoring Point 8 (DD6)		Ash	1.35	g/m <sup>2</sup> /month
		Combustible Solids	1.01	g/m <sup>2</sup> /month
		Insoluble Solids	2.36	g/m <sup>2</sup> /month



**Building something great**

**Historical Deposited Dust Data**

Location	Month	Pollutant	Measurement	Unit	Comments
Monitoring Point 2 (DD2)	December Monthly (Received 13/02/2025)	Ash	1.92	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 17.28 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 2.99 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	2.85	g/m <sup>2</sup> /month	
		Insoluble Solids	4.77	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	3.11	g/m <sup>2</sup> /month	
		Combustible Solids	14.17	g/m <sup>2</sup> /month	
		Insoluble Solids	17.28	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	2.18	g/m <sup>2</sup> /month	
		Combustible Solids	4.25	g/m <sup>2</sup> /month	
		Insoluble Solids	6.43	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.24	g/m <sup>2</sup> /month	
		Combustible Solids	1.76	g/m <sup>2</sup> /month	
		Insoluble Solids	2.99	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	November Monthly (Received 13/02/2025)	Ash	1.72	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.56 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.51 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.47	g/m <sup>2</sup> /month	
		Insoluble Solids	2.2	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	2.47	g/m <sup>2</sup> /month	
		Combustible Solids	0.04	g/m <sup>2</sup> /month	
		Insoluble Solids	2.51	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.49	g/m <sup>2</sup> /month	
		Combustible Solids	0.40	g/m <sup>2</sup> /month	
		Insoluble Solids	1.89	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	2.94	g/m <sup>2</sup> /month	
		Combustible Solids	1.38	g/m <sup>2</sup> /month	
		Insoluble Solids	1.56	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	October Monthly (Received 13/02/2025)	Ash	0.82	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 4.67 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	1.11	g/m <sup>2</sup> /month	
		Insoluble Solids	1.93	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.42	g/m <sup>2</sup> /month	
		Combustible Solids	3.25	g/m <sup>2</sup> /month	
		Insoluble Solids	4.67	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.99	g/m <sup>2</sup> /month	
		Combustible Solids	0.02	g/m <sup>2</sup> /month	
		Insoluble Solids	1.02	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.24	g/m <sup>2</sup> /month	
		Combustible Solids	0.41	g/m <sup>2</sup> /month	
		Insoluble Solids	1.65	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	September Monthly (Received 13/02/2025)	Ash	0.29	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.83 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	2.7	g/m <sup>2</sup> /month	
		Insoluble Solids	3.0	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.6	g/m <sup>2</sup> /month	
		Combustible Solids	2.46	g/m <sup>2</sup> /month	
		Insoluble Solids	2.52	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.16	g/m <sup>2</sup> /month	
		Combustible Solids	3.67	g/m <sup>2</sup> /month	
		Insoluble Solids	3.83	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.63	g/m <sup>2</sup> /month	
		Combustible Solids	3.11	g/m <sup>2</sup> /month	



**Building something great**

		Insoluble Solids	1.02	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	August Monthly (Received 13/09/2024)	Ash	0.53	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.35 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.70	g/m <sup>2</sup> /month	
		Insoluble Solids	1.23	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.47	g/m <sup>2</sup> /month	
		Combustible Solids	1.89	g/m <sup>2</sup> /month	
		Insoluble Solids	3.35	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.97	g/m <sup>2</sup> /month	
		Combustible Solids	0.49	g/m <sup>2</sup> /month	
		Insoluble Solids	1.46	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.63	g/m <sup>2</sup> /month	
		Combustible Solids	0.39	g/m <sup>2</sup> /month	
		Insoluble Solids	1.02	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	July Monthly (Received 28/08/2024)	Ash	0.50	g/m <sup>2</sup> /month	All within compliance limits.
		Combustible Solids	0.41	g/m <sup>2</sup> /month	
		Insoluble Solids	0.91	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.30	g/m <sup>2</sup> /month	
		Combustible Solids	0.17	g/m <sup>2</sup> /month	
		Insoluble Solids	1.47	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.54	g/m <sup>2</sup> /month	
		Combustible Solids	0.25	g/m <sup>2</sup> /month	
		Insoluble Solids	0.79	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.50	g/m <sup>2</sup> /month	
		Combustible Solids	0.26	g/m <sup>2</sup> /month	
		Insoluble Solids	0.76	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	June Monthly (Received 18/07/2024)	Ash	0.28	g/m <sup>2</sup> /month	All within compliance limits
		Combustible Solids	0.06	g/m <sup>2</sup> /month	
		Insoluble Solids	0.22	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.09	g/m <sup>2</sup> /month	
		Combustible Solids	0.54	g/m <sup>2</sup> /month	
		Insoluble Solids	0.63	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.32	g/m <sup>2</sup> /month	
		Combustible Solids	0.25	g/m <sup>2</sup> /month	
		Insoluble Solids	0.57	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.26	g/m <sup>2</sup> /month	
		Combustible Solids	0.02	g/m <sup>2</sup> /month	
		Insoluble Solids	0.28	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	May Monthly (Received 25/06/2024)	Ash	0.09	g/m <sup>2</sup> /month	All within compliance limits.
		Combustible Solids	0.11	g/m <sup>2</sup> /month	
		Insoluble Solids	0.20	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.27	g/m <sup>2</sup> /month	
		Combustible Solids	1.25	g/m <sup>2</sup> /month	
		Insoluble Solids	1.52	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.02	g/m <sup>2</sup> /month	
		Combustible Solids	3.57	g/m <sup>2</sup> /month	
		Insoluble Solids	3.59	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.17	g/m <sup>2</sup> /month	
		Combustible Solids	0.69	g/m <sup>2</sup> /month	



**Building something great**

		Insoluble Solids	1.86	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	April Monthly (Received 31/05/2024)	Ash	0.23	g/m <sup>2</sup> /month	All within compliance limits.		
		Combustible Solids	1.28	g/m <sup>2</sup> /month			
		Insoluble Solids	1.51	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Ash	0.12	g/m <sup>2</sup> /month			
		Combustible Solids	3.11	g/m <sup>2</sup> /month			
		Insoluble Solids	3.23	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	0.57	g/m <sup>2</sup> /month			
		Combustible Solids	1.29	g/m <sup>2</sup> /month			
		Insoluble Solids	1.86	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Ash	0.41	g/m <sup>2</sup> /month			
		Combustible Solids	0.80	g/m <sup>2</sup> /month			
		Insoluble Solids	1.21	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	March Monthly (Received 24/04/2024)	Ash	0.61	g/m <sup>2</sup> /month	All within compliance limits.		
		Combustible Solids	0.27	g/m <sup>2</sup> /month			
		Insoluble Solids	0.88	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Ash	1.26	g/m <sup>2</sup> /month			
		Combustible Solids	0.80	g/m <sup>2</sup> /month			
		Insoluble Solids	2.06	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	1.25	g/m <sup>2</sup> /month			
		Combustible Solids	1.63	g/m <sup>2</sup> /month			
		Insoluble Solids	2.88	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Ash	0.62	g/m <sup>2</sup> /month			
		Combustible Solids	0.10	g/m <sup>2</sup> /month			
		Insoluble Solids	0.72	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	February Monthly (Received 28/02/2024)	Ash	1.34	g/m <sup>2</sup> /month	Monitoring Point 4 was contaminated, so the data that was received from the laboratory was regarded to be inaccurate.		
		Combustible Solids	0.78	g/m <sup>2</sup> /month			
		Insoluble Solids	2.12	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Ash	NV	g/m <sup>2</sup> /month			
		Combustible Solids	NV	g/m <sup>2</sup> /month			
		Insoluble Solids	NV	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	1.43	g/m <sup>2</sup> /month			
		Combustible Solids	0.88	g/m <sup>2</sup> /month			
		Insoluble Solids	2.30	g/m <sup>2</sup> /month			
Monitoring Point 8 (DD6)		Ash	1.92	g/m <sup>2</sup> /month			
		Combustible Solids	0.88	g/m <sup>2</sup> /month			
		Insoluble Solids	2.81	g/m <sup>2</sup> /month			
Monitoring Point 2 (DD2)	January Monthly (Received 20/03/2024)	Ash	1.05	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.12 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 4.62 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator		
		Combustible Solids	0.07	g/m <sup>2</sup> /month			
		Insoluble Solids	1.12	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)		Ash	4.57	g/m <sup>2</sup> /month			
		Combustible Solids	0.05	g/m <sup>2</sup> /month			
		Insoluble Solids	4.62	g/m <sup>2</sup> /month			
Monitoring Point 7 (DD10)		Ash	1.17	g/m <sup>2</sup> /month			
		Combustible Solids	0.21	g/m <sup>2</sup> /month			
		Insoluble Solids	1.38	g/m <sup>2</sup> /month			
			Ash	2.18		g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 8 (DD6)		Combustible Solids	1.31	g/m <sup>2</sup> /month	for the project's contribution to local dust levels.
		Insoluble Solids	3.49	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	December Monthly (Received 07/02/2024)	Ash	1.60	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.38 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 6.87 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	4.19	g/m <sup>2</sup> /month	
		Insoluble Solids	5.80	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	6.84	g/m <sup>2</sup> /month	
		Combustible Solids	0.03	g/m <sup>2</sup> /month	
		Insoluble Solids	6.87	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.46	g/m <sup>2</sup> /month	
		Combustible Solids	2.69	g/m <sup>2</sup> /month	
		Insoluble Solids	3.15	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.81	g/m <sup>2</sup> /month	
	Combustible Solids	0.57	g/m <sup>2</sup> /month		
	Insoluble Solids	1.38	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	November Monthly (Received 10/01/2024)	Ash	0.96	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.75 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.02 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.82	g/m <sup>2</sup> /month	
		Insoluble Solids	1.78	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.47	g/m <sup>2</sup> /month	
		Combustible Solids	2.55	g/m <sup>2</sup> /month	
		Insoluble Solids	3.02	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.33	g/m <sup>2</sup> /month	
		Combustible Solids	0.48	g/m <sup>2</sup> /month	
		Insoluble Solids	0.81	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.40	g/m <sup>2</sup> /month	
	Combustible Solids	0.34	g/m <sup>2</sup> /month		
	Insoluble Solids	0.75	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	October Monthly (received 11/12/2023)	Ash	0.16	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.05 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.97 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	1.35	g/m <sup>2</sup> /month	
		Insoluble Solids	1.97	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	0.17	g/m <sup>2</sup> /month	
		Combustible Solids	0.88	g/m <sup>2</sup> /month	
		Insoluble Solids	1.05	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.06	g/m <sup>2</sup> /month	
		Combustible Solids	0.89	g/m <sup>2</sup> /month	
		Insoluble Solids	1.96	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.10	g/m <sup>2</sup> /month	
	Combustible Solids	0.40	g/m <sup>2</sup> /month		
	Insoluble Solids	1.49	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	September Monthly (Received 31/10/2023)	Ash	1.84	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.61 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.47 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
		Combustible Solids	0.33	g/m <sup>2</sup> /month	
		Insoluble Solids	2.47	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Ash	1.48	g/m <sup>2</sup> /month	
		Combustible Solids	0.52	g/m <sup>2</sup> /month	
		Insoluble Solids	2.00	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	1.07	g/m <sup>2</sup> /month	
		Combustible Solids	1.35	g/m <sup>2</sup> /month	
		Insoluble Solids	2.42	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.23	g/m <sup>2</sup> /month	
	Combustible Solids	0.38	g/m <sup>2</sup> /month		
	Insoluble Solids	1.61	g/m <sup>2</sup> /month		



**Building something great**

Monitoring Point 2 (DD2)	August Monthly (Received 31/10/2023)	Ash	0.47	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.28 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 3.37 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
Monitoring Point 4 (DD5)		Combustible Solids	2.90	g/m <sup>2</sup> /month	
		Insoluble Solids	3.37	g/m <sup>2</sup> /month	
		Ash	0.77	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	0.50	g/m <sup>2</sup> /month	
		Insoluble Solids	1.28	g/m <sup>2</sup> /month	
		Ash	0.63	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Combustible Solids	1.02	g/m <sup>2</sup> /month	
		Insoluble Solids	1.64	g/m <sup>2</sup> /month	
		Ash	1.60	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Combustible Solids	0.14	g/m <sup>2</sup> /month	
		Insoluble Solids	1.74	g/m <sup>2</sup> /month	
	Ash	0.53	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.39	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.62 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 1.16 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	0.92	g/m <sup>2</sup> /month		
	Ash	0.23	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.93	g/m <sup>2</sup> /month		
	Insoluble Solids	1.16	g/m <sup>2</sup> /month		
	Ash	0.47	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.14	g/m <sup>2</sup> /month		
	Insoluble Solids	0.62	g/m <sup>2</sup> /month		
	Ash	0.60	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.53	g/m <sup>2</sup> /month		
	Insoluble Solids	1.14	g/m <sup>2</sup> /month		
	Ash	0.68	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.60	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.63 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.28 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	1.28	g/m <sup>2</sup> /month		
	Ash	0.51	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.12	g/m <sup>2</sup> /month		
	Insoluble Solids	0.63	g/m <sup>2</sup> /month		
	Ash	0.46	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.23	g/m <sup>2</sup> /month		
	Insoluble Solids	0.69	g/m <sup>2</sup> /month		
	Ash	0.43	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.44	g/m <sup>2</sup> /month		
	Insoluble Solids	0.87	g/m <sup>2</sup> /month		
	Ash	0.65	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.01	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.01 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 0.63 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Insoluble Solids	0.63	g/m <sup>2</sup> /month		
	Ash	0.63	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.26	g/m <sup>2</sup> /month		
	Insoluble Solids	0.89	g/m <sup>2</sup> /month		
	Ash	0.63	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.19	g/m <sup>2</sup> /month		
	Insoluble Solids	1.01	g/m <sup>2</sup> /month		
	Ash	0.56	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.17	g/m <sup>2</sup> /month		
	Insoluble Solids	0.73	g/m <sup>2</sup> /month		
	Ash	1.15	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	April Monthly	Combustible Solids	1.49	g/m <sup>2</sup> /month	





**Building something great**

Monitoring Point 4 (DD5)	(Received 5/06/2023)	Insoluble Solids	2.64	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.64 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 1.30 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.
		Ash	0.69	g/m <sup>2</sup> /month	
		Combustible Solids	1.13	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Insoluble Solids	1.82	g/m <sup>2</sup> /month	
		Ash	0.77	g/m <sup>2</sup> /month	
		Combustible Solids	0.53	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	1.30	g/m <sup>2</sup> /month	
		Ash	0.21	g/m <sup>2</sup> /month	
		Combustible Solids	1.13	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	March Monthly (Received 5/06/2023)	Insoluble Solids	1.34	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 6.83 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 2.32 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.
		Ash	2.55	g/m <sup>2</sup> /month	
		Combustible Solids	4.28	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Insoluble Solids	6.83	g/m <sup>2</sup> /month	
		Ash	1.32	g/m <sup>2</sup> /month	
		Combustible Solids	1.93	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Insoluble Solids	3.25	g/m <sup>2</sup> /month	
		Ash	2.17	g/m <sup>2</sup> /month	
		Combustible Solids	0.24	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	2.41	g/m <sup>2</sup> /month	
		Ash	1.37	g/m <sup>2</sup> /month	
		Combustible Solids	0.94	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	February 2023 (Received 4/04/2023)	Insoluble Solids	2.32	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.98 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 0.22 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Ash	1.68	g/m <sup>2</sup> /month	
		Combustible Solids	0.30	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Insoluble Solids	1.98	g/m <sup>2</sup> /month	
		Ash	0.21	g/m <sup>2</sup> /month	
		Combustible Solids	0.01	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Insoluble Solids	0.22	g/m <sup>2</sup> /month	
		Ash	0.66	g/m <sup>2</sup> /month	
		Combustible Solids	0.61	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	1.26	g/m <sup>2</sup> /month	
		Ash	1.03	g/m <sup>2</sup> /month	
		Combustible Solids	0.67	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	January 2023 (Received 4/04/2023)	Insoluble Solids	1.70	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.81 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.23 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.
		Ash	0.54	g/m <sup>2</sup> /month	
		Combustible Solids	0.85	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Insoluble Solids	1.40	g/m <sup>2</sup> /month	
		Ash	1.41	g/m <sup>2</sup> /month	
		Combustible Solids	0.40	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Insoluble Solids	1.81	g/m <sup>2</sup> /month	
		Ash	0.60	g/m <sup>2</sup> /month	
		Combustible Solids	0.63	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	1.23	g/m <sup>2</sup> /month	
		Ash	0.86	g/m <sup>2</sup> /month	
		Combustible Solids	0.60	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	December 2022	Insoluble Solids	1.46	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range
		Ash	0.97	g/m <sup>2</sup> /month	
		Combustible Solids	0.12	g/m <sup>2</sup> /month	
		Insoluble Solids	1.10	g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 4 (DD5)	(Received 4/04/2023)	Ash	5.92	g/m <sup>2</sup> /month	from 8.01 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.10 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
Monitoring Point 7 (DD10)		Combustible Solids	2.09	g/m <sup>2</sup> /month	
		Insoluble Solids	8.01	g/m <sup>2</sup> /month	
		Ash	1.29	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Combustible Solids	0.16	g/m <sup>2</sup> /month	
		Insoluble Solids	1.45	g/m <sup>2</sup> /month	
		Ash	4.59	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Combustible Solids	0.27	g/m <sup>2</sup> /month	
		Insoluble Solids	4.86	g/m <sup>2</sup> /month	
	Ash	0.76	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	November 2022 (Received 12/1/2023)	Combustible Solids	0.48	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.43 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 1.19 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels.
		Insoluble Solids	1.24	g/m <sup>2</sup> /month	
		Ash	0.87	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	0.32	g/m <sup>2</sup> /month	
		Insoluble Solids	1.19	g/m <sup>2</sup> /month	
		Ash	1.18	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Combustible Solids	0.26	g/m <sup>2</sup> /month	
		Insoluble Solids	1.43	g/m <sup>2</sup> /month	
		Ash	0.94	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	October 2022 (Received 13/12/2022)	Combustible Solids	0.37	g/m <sup>2</sup> /month	*No data - sample was contaminated The deposited dust data for the reporting period range from 1.15 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 0.64 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.
		Insoluble Solids	1.31	g/m <sup>2</sup> /month	
		Ash	ND*	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Combustible Solids	ND	g/m <sup>2</sup> /month	
		Insoluble Solids	ND	g/m <sup>2</sup> /month	
		Ash	0.45	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	0.46	g/m <sup>2</sup> /month	
		Insoluble Solids	0.91	g/m <sup>2</sup> /month	
		Ash	0.69	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)	Combustible Solids	0.45	g/m <sup>2</sup> /month		
	Insoluble Solids	1.15	g/m <sup>2</sup> /month		
	Ash	0.61	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	September 2022 (Received 14/11/2022)	Combustible Solids	0.03	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.18 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 3.05 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is considered a better indicator for the project's contribution to local dust levels.
		Insoluble Solids	0.64	g/m <sup>2</sup> /month	
		Ash	1.45	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Combustible Solids	0.88	g/m <sup>2</sup> /month	
		Insoluble Solids	2.32	g/m <sup>2</sup> /month	
		Ash	1.59	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	0.59	g/m <sup>2</sup> /month	
		Insoluble Solids	2.18	g/m <sup>2</sup> /month	
		Ash	1.30	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)	Combustible Solids	1.02	g/m <sup>2</sup> /month		
	Insoluble Solids	2.32	g/m <sup>2</sup> /month		
	Ash	2.06	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	August 2022 (Received 28/9/2022)	Combustible Solids	0.98	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.98 g/m <sup>2</sup> /month of
		Insoluble Solids	3.05	g/m <sup>2</sup> /month	
		Ash	1.74	g/m <sup>2</sup> /month	
Ash		0.09	g/m <sup>2</sup> /month		
		Insoluble Solids	1.82	g/m <sup>2</sup> /month	
		Ash	0.55	g/m <sup>2</sup> /month	



**Building  
something  
great**

Monitoring Point 4 (DD5)		Combustible Solids	0.49	g/m <sup>2</sup> /month	insoluble solids at Monitoring Point 7, to 1.82 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.
Monitoring Point 7 (DD10)		Insoluble Solids	1.04	g/m <sup>2</sup> /month	
		Ash	0.73	g/m <sup>2</sup> /month	
		Combustible Solids	0.25	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	0.98	g/m <sup>2</sup> /month	
		Ash	0.40	g/m <sup>2</sup> /month	
		Combustible Solids	0.72	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Insoluble Solids	1.13	g/m <sup>2</sup> /month	
		Ash	3.16	g/m <sup>2</sup> /month	
	Combustible Solids	1.90	g/m <sup>2</sup> /month		
Insoluble Solids	5.06	g/m <sup>2</sup> /month			
Monitoring Point 4 (DD5)	Ash	0.17	g/m <sup>2</sup> /month		
	Combustible Solids	0.19	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Insoluble Solids	0.35	g/m <sup>2</sup> /month		
	Ash	0.36	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.28	g/m <sup>2</sup> /month		
	Insoluble Solids	0.63	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Ash	0.37	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.60 g/m <sup>2</sup> /month of insoluble solids at Monitoring Points 4 and 8, to 0.85 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Combustible Solids	0.45	g/m <sup>2</sup> /month		
	Insoluble Solids	0.81	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Ash	0.56	g/m <sup>2</sup> /month		
	Combustible Solids	0.30	g/m <sup>2</sup> /month		
	Insoluble Solids	0.85	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Ash	0.49	g/m <sup>2</sup> /month		
	Combustible Solids	0.11	g/m <sup>2</sup> /month		
	Insoluble Solids	0.60	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Ash	0.31	g/m <sup>2</sup> /month		
	Combustible Solids	0.36	g/m <sup>2</sup> /month		
	Insoluble Solids	0.67	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Ash	0.26	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.08 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.44 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels.	
	Combustible Solids	0.34	g/m <sup>2</sup> /month		
	Insoluble Solids	0.60	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Ash	0.27	g/m <sup>2</sup> /month		
	Combustible Solids	1.07	g/m <sup>2</sup> /month		
	Insoluble Solids	1.34	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Ash	0.57	g/m <sup>2</sup> /month		
	Combustible Solids	1.05	g/m <sup>2</sup> /month		
	Insoluble Solids	1.62	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Ash	1.04	g/m <sup>2</sup> /month		
	Combustible Solids	1.40	g/m <sup>2</sup> /month		
	Insoluble Solids	2.44	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Ash	0.25	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.88 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 2.33 g/m <sup>2</sup> /month	
	Combustible Solids	0.83	g/m <sup>2</sup> /month		
	Insoluble Solids	1.08	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Ash	0.32	g/m <sup>2</sup> /month		
	Combustible Solids	0.56	g/m <sup>2</sup> /month		
	Insoluble Solids	0.88	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Ash	1.61	g/m <sup>2</sup> /month		
	Combustible Solids	0.72	g/m <sup>2</sup> /month		
	Insoluble Solids	2.33	g/m <sup>2</sup> /month		



**Building something great**

Monitoring Point 7 (DD10)		Ash	0.34	g/m <sup>2</sup> /month	of insoluble solids at Monitoring Point 4. Ash is considered a better indicator for the project's contribution to local dust levels
Monitoring Point 8 (DD6)		Combustible Solids	0.98	g/m <sup>2</sup> /month	
		Insoluble Solids	1.31	g/m <sup>2</sup> /month	
		Ash	0.54	g/m <sup>2</sup> /month	
		Combustible Solids	0.59	g/m <sup>2</sup> /month	
		Insoluble Solids	1.13	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	March 2022 (Received 29/04/2022)	Ash	0.09	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.13 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 0.68 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels
Monitoring Point 4 (DD5)		Combustible Solids	0.59	g/m <sup>2</sup> /month	
		Insoluble Solids	0.68	g/m <sup>2</sup> /month	
		Ash	0.03	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	0.29	g/m <sup>2</sup> /month	
		Insoluble Solids	0.32	g/m <sup>2</sup> /month	
		Ash	0.10	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Combustible Solids	0.40	g/m <sup>2</sup> /month	
		Insoluble Solids	0.50	g/m <sup>2</sup> /month	
		Ash	0.05	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Combustible Solids	0.08	g/m <sup>2</sup> /month	
		Insoluble Solids	0.13	g/m <sup>2</sup> /month	
	Ash	0.62	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.57	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.94 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.42 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels	
	Insoluble Solids	1.19	g/m <sup>2</sup> /month		
	Ash	0.25	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.69	g/m <sup>2</sup> /month		
	Insoluble Solids	0.94	g/m <sup>2</sup> /month		
	Ash	0.17	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	1.25	g/m <sup>2</sup> /month		
	Insoluble Solids	1.42	g/m <sup>2</sup> /month		
	Ash	0.51	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.46	g/m <sup>2</sup> /month		The deposited dust data for the reporting period range from 3.08 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 0.42 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels
	Insoluble Solids	0.97	g/m <sup>2</sup> /month		
	Ash	0.95	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.46	g/m <sup>2</sup> /month		
	Insoluble Solids	1.41	g/m <sup>2</sup> /month		
	Ash	2.56	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.52	g/m <sup>2</sup> /month		
	Insoluble Solids	3.08	g/m <sup>2</sup> /month		
	Ash	0.28	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.14	g/m <sup>2</sup> /month		
	Insoluble Solids	0.42	g/m <sup>2</sup> /month		
	Ash	1.33	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Combustible Solids	0.10	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.60 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 1.62 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4. Ash is	
	Insoluble Solids	1.42	g/m <sup>2</sup> /month		
	Ash	1.03	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	1.23	g/m <sup>2</sup> /month		
	Insoluble Solids	2.26	g/m <sup>2</sup> /month		
	Ash	0.82	g/m <sup>2</sup> /month		
	Combustible Solids	0.79	g/m <sup>2</sup> /month		
	Insoluble Solids	1.62	g/m <sup>2</sup> /month		
	Ash	0.89	g/m <sup>2</sup> /month		
		Combustible Solids	1.58		g/m <sup>2</sup> /month



**Building something great**

Monitoring Point 7 (DD10)		Insoluble Solids	2.47	g/m <sup>2</sup> /month	considered a better indicator for the project's contribution to local dust levels
Monitoring Point 8 (DD6)		Ash	0.99	g/m <sup>2</sup> /month	
		Combustible Solids	1.61	g/m <sup>2</sup> /month	
		Insoluble Solids	2.60	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	November 2021 (received 23/12/21)	Ash	0.55	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.71 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 0.92 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels
Monitoring Point 4 (DD5)		Combustible Solids	0.37	g/m <sup>2</sup> /month	
		Insoluble Solids	0.92	g/m <sup>2</sup> /month	
		Ash	0.82	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	0.47	g/m <sup>2</sup> /month	
		Insoluble Solids	1.29	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.80	g/m <sup>2</sup> /month	
		Combustible Solids	0.56	g/m <sup>2</sup> /month	
		Insoluble Solids	1.36	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		October 2021 (received 30/11/21)	Ash	1.20	
	Combustible Solids		0.51	g/m <sup>2</sup> /month	
	Insoluble Solids		1.71	g/m <sup>2</sup> /month	
	Ash		1.09	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)	Combustible Solids		0.60	g/m <sup>2</sup> /month	
	Insoluble Solids		1.69	g/m <sup>2</sup> /month	
	Ash		1.32	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)	Combustible Solids		0.66	g/m <sup>2</sup> /month	
	Insoluble Solids		1.98	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)	Ash		3.29	g/m <sup>2</sup> /month	
	Combustible Solids	0.58	g/m <sup>2</sup> /month		
	Insoluble Solids	3.87	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	September 2021 (Date received 10/11/2021)	Ash	3.38	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 7.12/m <sup>2</sup> /month of insoluble solids at Monitoring Point 4, to 1.13g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels
		Combustible Solids	0.53	g/m <sup>2</sup> /month	
		Insoluble Solids	3.91	g/m <sup>2</sup> /month	
		Ash	0.92	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Combustible Solids	0.21	g/m <sup>2</sup> /month	
		Insoluble Solids	1.13	g/m <sup>2</sup> /month	
		Ash	3.31	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	3.81	g/m <sup>2</sup> /month	
		Insoluble Solids	7.12	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	1.45	g/m <sup>2</sup> /month	
	Combustible Solids	0.26	g/m <sup>2</sup> /month		
	Insoluble Solids	1.71	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	August 2021 (Date received 30/09/2021)	Ash	1.04	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 1.16/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 3.35g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8. Ash is
		Combustible Solids	1.03	g/m <sup>2</sup> /month	
		Insoluble Solids	2.07	g/m <sup>2</sup> /month	
		Ash	0.84	g/m <sup>2</sup> /month	
Monitoring Point 4 (DD5)		Combustible Solids	0.34	g/m <sup>2</sup> /month	
		Insoluble Solids	1.20	g/m <sup>2</sup> /month	
		Ash	1.09	g/m <sup>2</sup> /month	
		Combustible Solids	0.82	g/m <sup>2</sup> /month	
	Insoluble Solids	1.91	g/m <sup>2</sup> /month		
	Ash	0.70	g/m <sup>2</sup> /month		
		Combustible Solids	0.45	g/m <sup>2</sup> /month	



**Building something great**

Monitoring Point 7 (DD10)		Insoluble Solids	1.16	g/m <sup>2</sup> /month	considered a better indicator for the project's contribution to local dust levels
Monitoring Point 8 (DD6)		Ash	2.15	g/m <sup>2</sup> /month	
		Combustible Solids	1.20	g/m <sup>2</sup> /month	
		Insoluble Solids	3.35	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	July 2021 (Date received 13/09/2021)	Ash	0.50	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.47/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 1.44g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels
Monitoring Point 4 (DD5)		Combustible Solids	0.94	g/m <sup>2</sup> /month	
		Insoluble Solids	1.44	g/m <sup>2</sup> /month	
		Ash	0.65	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	1.12	g/m <sup>2</sup> /month	
		Insoluble Solids	1.77	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Ash	0.77	g/m <sup>2</sup> /month	
		Combustible Solids	1.55	g/m <sup>2</sup> /month	
		Insoluble Solids	2.33	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Ash	0.89	g/m <sup>2</sup> /month	
	Combustible Solids	1.57	g/m <sup>2</sup> /month		
	Insoluble Solids	2.47	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	July 2021 (Date received 6/8/2021)	Ash	0.56	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.78/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2, to 2.34 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 6. Ash is considered a better indicator for the project's contribution to local dust levels
		Combustible Solids	2.22	g/m <sup>2</sup> /month	
		Insoluble Solids	2.78	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Ash	0.74	g/m <sup>2</sup> /month	
		Combustible Solids	1.67	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Insoluble Solids	2.41	g/m <sup>2</sup> /month	
		Ash	0.61	g/m <sup>2</sup> /month	
		Combustible Solids	1.34	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)		Insoluble Solids	1.95	g/m <sup>2</sup> /month	
		Ash	1.01	g/m <sup>2</sup> /month	
	Combustible Solids	1.33	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Insoluble Solids	2.34	g/m <sup>2</sup> /month		
	Monitoring Point 7 (DD10)	Ash	0.48	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 3.72/m <sup>2</sup> /month of insoluble solids at Monitoring Point 8, to 2.36 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7. Ash is considered a better indicator for the project's contribution to local dust levels
		Combustible Solids	2.14	g/m <sup>2</sup> /month	
Insoluble Solids		2.62	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Ash	0.75	g/m <sup>2</sup> /month		
	Combustible Solids	1.91	g/m <sup>2</sup> /month		
	Insoluble Solids	2.66	g/m <sup>2</sup> /month		
Monitoring Point 2 (DD2)	Ash	0.70	g/m <sup>2</sup> /month		
	Combustible Solids	1.66	g/m <sup>2</sup> /month		
	Insoluble Solids	2.36	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Ash	0.71	g/m <sup>2</sup> /month		
	Combustible Solids	2.43	g/m <sup>2</sup> /month		
	Insoluble Solids	3.72	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	April 2021 (Date received 28/05/21)	Ash	0.79	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.79/m <sup>2</sup> /month of insoluble solids at Monitoring Point 7, to 1.62 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is
		Combustible Solids	0.83	g/m <sup>2</sup> /month	
		Insoluble Solids	1.62	g/m <sup>2</sup> /month	
Ash		1.43	g/m <sup>2</sup> /month		
Combustible Solids		1.11	g/m <sup>2</sup> /month		
Insoluble Solids		2.54	g/m <sup>2</sup> /month		
	Ash	1.70	g/m <sup>2</sup> /month		
	Combustible Solids	1.09	g/m <sup>2</sup> /month		



**Building something great**

Monitoring Point 7 (DD10)		Insoluble Solids	2.79	g/m <sup>2</sup> /month	considered a better indicator for the project's contribution to local dust levels
Monitoring Point 8 (DD6)		Ash	1.30	g/m <sup>2</sup> /month	
		Combustible Solids	0.69	g/m <sup>2</sup> /month	
		Insoluble Solids	2.00	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	March 2021 (Date received 29/04/21)	Ash	0.79	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 2.79/m <sup>2</sup> /month of insoluble solids at Monitoring Point 10 and 8, to 1.62 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2. Ash is considered a better indicator for the project's contribution to local dust levels
Monitoring Point 4 (DD5)		Combustible Solids	0.83	g/m <sup>2</sup> /month	
		Insoluble Solids	1.62	g/m <sup>2</sup> /month	
		Ash	1.43	g/m <sup>2</sup> /month	
Monitoring Point 7 (DD10)		Combustible Solids	1.11	g/m <sup>2</sup> /month	
		Insoluble Solids	2.54	g/m <sup>2</sup> /month	
		Ash	1.70	g/m <sup>2</sup> /month	
Monitoring Point 8 (DD6)		Combustible Solids	1.09	g/m <sup>2</sup> /month	
		Insoluble Solids	2.79	g/m <sup>2</sup> /month	
		Ash	1.30	g/m <sup>2</sup> /month	
Monitoring Point 2 (DD2)	Combustible Solids	0.69	g/m <sup>2</sup> /month		
	Insoluble Solids	2.00	g/m <sup>2</sup> /month		
	Ash	0.87	g/m <sup>2</sup> /month		
Monitoring Point 4 (DD5)	Combustible Solids	0.09	g/m <sup>2</sup> /month	The deposited dust data for the reporting period range from 0.96/m <sup>2</sup> /month of insoluble solids at Monitoring Point 2 and 8, to 0.76 g/m <sup>2</sup> /month of insoluble solids at Monitoring Point 5. Ash is considered a better indicator for the project's contribution to local dust levels	
	Insoluble Solids	0.96	g/m <sup>2</sup> /month		
	Ash	0.67	g/m <sup>2</sup> /month		
Monitoring Point 7 (DD10)	Combustible Solids	0.09	g/m <sup>2</sup> /month		
	Insoluble Solids	0.76	g/m <sup>2</sup> /month		
	Ash	0.72	g/m <sup>2</sup> /month		
Monitoring Point 8 (DD6)	Combustible Solids	0.13	g/m <sup>2</sup> /month		
	Insoluble Solids	0.85	g/m <sup>2</sup> /month		
	Ash	0.88	g/m <sup>2</sup> /month		
	Combustible Solids	0.08	g/m <sup>2</sup> /month		
	Insoluble Solids	0.96	g/m <sup>2</sup> /month		
Further historical monitoring data relating to dust can be found in the associated Annual Reviews for each year. Location of the Dunmore Lakes Sand Project Annual Reviews can be found at <a href="https://www.boral.com.au/locations/boral-dunmore-operations">https://www.boral.com.au/locations/boral-dunmore-operations</a>					



**Building  
something  
great**

Dunmore Lakes Sand Project Monitoring Locations.

Deposited Dust Monitoring Locations





Building something great

